Revision nr.4 Dated 7/10/2020 Printed on 7/10/2020 Page n. 1 / 9 Replaced revision:3 (Dated 4/18/2018)

MA9071 - Electrolyte Solution for D.O. probes

Safety Data Sheet

According to U.S.A. Federal Hazcom 2012 and Canadian HPR - WHMIS 2015

1. Identification	
1.1. Product identifier	
Code Product name	MA9071 Electrolyte Solution for D.O. probes
1.2. Relevant identified uses of the substance or m	ixture and uses advised against
Intended use	Electrolyte Fill Solution for Polarographic Dissolved Oxygen Probes.
1.3. Details of the supplier of the safety data sheet	
Name Full address District and Country	Milwaukee Electronics Kft. Alsókikötő sor 11. H6726 Szeged Hungary Tel. +36-62-428-050 Fax +36-62-428-051
e-mail address of the competent person responsible for the Safety Data Sheet	info@milwaukeeinst.com
Product distribution by:	Milwaukee Instruments, Inc 2950 Business Park Drive - Rocky Mount - NC 27804 - U.S.A Technical Service Contact Information: +1 252 443 3630, fax number 252.443.1937 - e-mail: sales@milwaukeeinstruments.com
1.4. Emergency telephone number	
For urgent inquiries refer to	USA Emergency Contact Information: +1-800-424-9300 - CHEMTREC 24 hours/365 days
2. Hazards identification	

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information.

Hazard pictograms: Signal words:	
Hazard statements:	
Precautionary statements: Prevention: P273 Response:	Avoid release to the environment.
-	
Storage:	
Disposal:	

2.2. Other hazards

Environmental classification as for Reg. (EU) 1272/2008 (CLP):

The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

Classification and Hazard Statement Hazardous to the aquatic environment, chronic toxicity, category 3

Harmful to aquatic life with long lasting effects.

Hazard statements:

@EPY 9.11.0 - SDS 1004.13

M Milwaukee

Milwaukee Electronics Kft.

ΕN

MA9071 - Electrolyte Solution for D.O. probes

2

2. Hazar	ds identifica	tion	/ >>		
H4 [,]	12	Н	larmful to aquation	c life w	vith long lasting effects.
Precau Prever	utionary statem ntion:	ients:			
Respo	nse:				
Storag	e:				
Dispos	al:				
	onal hazards ation not availa	able			
3. Con	position/i	nforn	nation on ir	ngre	dients
3.2. Mixtu	ures				
Contai	ns:				
Identifi	cation	x =	= Conc. %		Classification:
SILVE CAS	R CHLORIDE 7783	-90-6	0.0025≤x< (0.025	Substance or mixture corrosive to metals, category 1 H290, Hazardous to the aquatic environment, acute toxicity, category 1 H400 M=1000, Hazardous to the aquatic environment, chronic toxicity, category 1 H410 M=100
EC INDEX		033-3			nazardous to the aquatic environment, chronic toxicity, category 1 H410 M-100
* There	e is a batch to b	batch va	ariation.		
The ful	ll wording of ha	izard (H	I) phrases is give	en in se	ection 16 of the sheet.
4. First	t-aid meas	ures			
4.1. Desc	ription of first	t aid me	easures		
Not sp	ecifically neces	sary. O	bservance of go	od ind	ustrial hygiene is recommended.
4.2. Most	important sy	mptom	s and effects, b	oth ac	cute and delayed
Specifi	c information o	on symp	toms and effects	s cause	ed by the product are unknown.
4.3. Indic	ation of any ir	nmedia	ate medical atte	ention	and special treatment needed
Informa	ation not availa	ible			
5. Fire	-fighting m	neası	ires		
5.1. Extin	guishing med	lia			
The ex UNSU	tinguishing equ	uipment	EQUIPMENT t should be of the ING EQUIPMEN		entional kind: carbon dioxide, foam, powder and water spray.
5.2. Spec	ial hazards ar	ising fr	rom the substar	nce or	mixture
	RDS CAUSED		POSURE IN THE products.	EVE	NT OF FIRE
5.3. Advi	ce for firefight	ters			
Use jet		ool the			roduct decomposition and the development of substances potentially hazardous for textinguishing water to prevent it from draining into the sewer system. Dispose of

contaminated water used for extinction and the remains of the fire according to applicable regulations.

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

MA9071 - Electrolyte Solution for D.O. probes

self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

EU	OEL EU	Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC;
		Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2019

				SILVER	CHLORIDE
Threshold Limit Value					
Туре	Country	TWA/8h		STEL/15	nin
		mg/m3	ppm	mg/m3	ppm
OEL	EU	0.01			
TLV-ACGIH	-	0.01			

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

Comply with the safety measures usually applied when handling chemical substances. HAND PROTECTION None required. SKIN PROTECTION None required. EYE PROTECTION None required. RESPIRATORY PROTECTION None required, unless indicated otherwise in the chemical risk assessment.

MA9071 - Electrolyte Solution for D.O. probes

Revision nr.4 Dated 7/10/2020 Printed on 7/10/2020 Page n. 4 / 9 Replaced revision:3 (Dated 4/18/2018)

8. Exposure controls/personal protection ... / >>

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value
Appearance	liquid
Colour	colourless
Odour	odourless
Odour threshold	Not available
pH	4
Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	Not applicable
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	17.5 mmHg
Vapour density	Not available
Relative density	1.04
Solubility	soluble in water
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	not applicable
Oxidising properties	not applicable
9.2. Other information	
Total solids (250°C / 482°F)	7,16 %

10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

SILVER CHLORIDE

Risk of explosion on contact with: alkaline metals,ammonia,aluminium powder. Reacts violently with: peroxides.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

Information

MA9071 - Electrolyte Solution for D.O. probes

11. Toxicological information

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

SILVER CHLORIDE LD50 (Oral)

5000 mg/kg Rat - OECD 401

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity			
SILVER CHLORIDE			
LC50 - for Fish	0.0012 mg/l/96h Pimephales promelas		
EC50 - for Crustacea	0.00022 mg/l/48h Daphnia magna		
12.2. Persistence and degradability			
SILVER CHLORIDE			
Solubility in water	1.88 mg/l		
12.3. Bioaccumulative potential			
Information not available			
12.4. Mobility in soil			
Information not available			
12.5. Results of PBT and vPvB assessment			
On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.			
12.6. Other adverse effects			
Information not available			
13. Disposal considerations			

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable 14.2. UN proper shipping name

Not applicable 14.3. Transport hazard class(es)

Not applicable 14.4. Packing group

Not applicable 14.5. Environmental hazards

@EPY 9.11.0 - SDS 1004.13

MA9071 - Electrolyte Solution for D.O. probes

14. Transport information ... / >>

Not applicable 14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

TSCA: All components are listed on TSCA Inventory.

Clean Air Act Section 112(b): No component(s) listed.

Clean Air Act Section 602 Class I Substances: No component(s) listed.

Clean Air Act Section 602 Class II Substances: No component(s) listed.

Clean Water Act – Priority Pollutants: No component(s) listed.

Clean Water Act – Toxic Pollutants: No component(s) listed.

DEA List I Chemicals (Precursor Chemicals): No component(s) listed.

DEA List II Chemicals (Essential Chemicals): No component(s) listed.

EPA List of Lists: 313 Category Code: No component(s) listed.

EPCRA 302 EHS TPQ: No component(s) listed.

EPCRA 304 EHS RQ: No component(s) listed.

CERCLA RQ: No component(s) listed.

EPCRA 313 TRI: No component(s) listed.

RCRA Code: No component(s) listed.

CAA 112 (r) RMP TQ: No component(s) listed.

State Regulations

Massachussetts: No component(s) listed.

15. Regulatory information ... / >>

Minnesota: No component(s) listed.

New Jersey: No component(s) listed.

New York: No component(s) listed.

Pennsylvania: No component(s) listed.

California: No component(s) listed.

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.

International Regulations

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None

NONC

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention:

None

Candadian WHMIS Information not available

16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H290	May be corrosive to metals.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act

ΕN

MA9071 - Electrolyte Solution for D.O. probes

16. Other information ... / >>

- TWA STEL: Short-term exposure limit- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the criteria set out in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200), unless otherwise indicated in sections 11 and 12.

The data for evaluation of chemical-physical properties are reported in section 9.

Changes to previous review: The following sections were modified: 01 / 03 / 04 / 06 / 07 / 08 / 09.